植物分类学报 26 (5): 404—405 (1988)

Acta Phytotaxonomica Sinica

## 中国桄榔属一新种

## 卫 兆 芬

(中国科学院华南植物研究所,广州)

## A NEW SPECIES OF ARENGA FROM CHINA

WEI CHAO-PEN

(South China Institute of Botany, Academia Sinica, Gaungzhou)

Key word Arenga; A. micrantha

关键词 桄榔属;小花桄榔

小花桃椰 新种 图 1

Arenga micrantha Wei, sp. nov.

Species affinis A. engleri Becc., sed spadicibus musc. anguste paniculiformibus, ramis numerosis, tenuibus, inaequalibus, inferioribus longioribus, superioribus brevioribus, bi-quadrifariis secus totam rhachim, floribus musc. perparvis, non nisi 4—5.5 mm longis, staminibus paucioribus 9—23 differt.

Frutex vel arbuscula, 3—8 m alta. Folia pinnatisecta, usque ad 3 m longa; rhaches triangulae, castaneo-furfuraceae; petioli subrotundati, c. 1 m longi; foliola bifaria, apicalia majora, cuneata, lateralia anguste oblonga, 30—36 cm longa, 3.5—4 cm lata, apice acuta, basi leviter angusta, inaequilatera, extus latiora declinato-auriculata, margine super medium et apice erosa, supra atrovirintia, subtus dealbata; costae crassae, supra prominulae, subtus elevatae, badio-furfuraceae; nervi laterales multi, graciles, utrinque prominuli. Spadices musc. anguste paniculiformes, 0.8—1 m longi; rami numerosi, tenues, bi-quadrifari secus totam rhachim, inferiores longiores, c. 17 cm longi, apicem versus gradatim abbreviati, suprimi c. 5 cm longi; floes perparvi, oblongi, 4—5.5 mm longi; sepala 3, late rotunda, c. 2 mm longa, 2.5—3 mm lata, libera, imbricata; petala 3, flava, oblanceolata vel obovata, coriacea, leviter inaequalia; stamina 9—23, filamentis brevibus, basi paullo connatis, antheris anguste oblongis, 2.7—3.2 mm longis, apice acutis, loculis longitudinaliter dehiscentibus. Flores fem. et fructus ignoti.

Xizang (西藏): Mêdog (墨脱), Gelinpendi (格林盆地), alt. 1600 m, in forests, on slopes, tree of 8 m, fl. & yellow, August 12 1980, W. L. Chen (陈伟烈) 14214 (Type, PE); same locality, alt. 1850 m, in forests, shrub of 3m, commom, June 17 1983, B. S. Li and S. Z. Cheng (李渤生和程树志)51140

本种与  $A.\ engleri\ Becc.\ 近缘,但本种的雄肉穗花序呈狭圆锥状,分枝多而纤细,不等长,下部的较长,上部的较短,2—4 列排列于整个总轴上;雄花极小,长仅 4—5.5mm;雄蕊少数而不同。$ 




图 1 小花桃椰 Arenga micrantha 1.叶一部分 portion of leaf; 2.小叶,示基部耳垂 leaflet, showing the ear-lobe at the base of it; 3. 雄 穗状花序 male spike; 4.穗状花序一部分 portion of spike; 5.雄花 male flower; 6.雄蕊 stamen。(邓盈丰绘)